

MATERIAL SAFETY DATA SHEET

Precision Laboratories, Inc.



Updated:

May 6, 2009

Product Name: JET BLACK™ EZ SOLUPAK

Page 1 of 3

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name: **JET BLACK™ EZ SOLUPAK**
Supplier: **PRECISION LABORATORIES, INC.**
1429 S. SHIELDS DRIVE
WAUKEGAN, IL 60085

Emergency telephone number: (Chemtrec Information 24 hours) 1-800-323-8351
For MSDS, Product Safety, or
Regulatory inquiries, call: (847) 596-3001
Customer Service, call: (800) 323-6280

2. COMPOSITION / INFORMATION ON INGREDIENTS

<u>Component</u>	<u>CAS#</u>	<u>OSHA PEL</u>	<u>ACGIH TLV</u>	<u>% By Wt.</u>
Acid Red Dye	Proprietary	15 mg/m ³ TWA Total dust 5 mg/m ³ Respirable	10 mg/m ³ TWA Total dust 3 mg/m ³ Respirable	30-40%

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW:

HMIS Hazard Rating:

1 Health Hazard Rating

1 Flammability Rating

0 Reactivity Rating

X Personal Protection

Primary Routes of Exposure:

Eyes: **YES** Skin: **YES** **YES** Inhalation: **YES**

Signs and Symptoms of Exposure:

Eye contact: May cause irritation and reddening.

Skin contact: May cause irritation and reddening.

Inhalation: May cause respiratory and mucosal irritation. Avoid misting conditions.

Ingestion: May cause nausea, vomiting and diarrhea.

4. FIRST AID MEASURES

FIRST AID MEASURES FOR ACCIDENTAL:

Eye Exposure: Check for and remove contact lenses. Immediately flush eyes with water for at least 15 minutes. Get medical attention as a precaution.

Skin Exposure: Immediately remove contaminated clothing. Wash affected area with plenty of soap and water. Get medical attention as a precaution.

Inhalation: Move person to fresh air. If person is having difficulty breathing, give oxygen. If not breathing, give artificial respiration. Get emergency medical help immediately.

Ingestion: Do NOT induce vomiting unless directed to do so by medical personnel. Never give fluids or force vomiting if the person is unconscious, is having convulsions or has no gag reflex. Medical Conditions Aggravated by Overexposure: repeated or prolonged exposure may aggravate medical conditions.

5. FIRE-FIGHTING MEASURES

FIRE HAZARD DATA:

Flammability: N/A LEL: N/A UEL: N/A

Auto-ignition temperature: N/D

Flash Point: N/A

Extinguishing Media: Water fog or spray, foam, CO₂, or dry chemicals may be used in areas where this product is stored.

Special Fire Fighting Procedures: Firefighters should wear NIOSH/MSHA Approved Self-Contained breathing apparatus and full protective clothing.

Additional Fire and Explosive Data: Use water spray to cool fire exposed containers if they cannot be safely moved.

MATERIAL SAFETY DATA SHEET

Precision Laboratories, Inc.



Updated

May 6, 2009

Page 2 of 3

Product Name: JET BLACK™ EZ SOLUPAK

6. ACCIDENTAL RELEASE MEASURES

Evacuate the spill area, except for cleanup personnel. Wear NIOSH/MSHA-approved respirator and protective equipment as referenced in Section 7 below. Control spill with absorbent pads or booms. If necessary, apply granular or loose absorbent to spill. When absorbed, sweep or otherwise collect and dispose of properly. WASTE DISPOSAL METHOD: Dispose of in accordance with federal, state and local regulations.

7. HANDLING, STORAGE & SPILLAGE OR LEAK PROCEDURES

Precautions to be Taken in Handling: Keep away from heat, sparks and flame. Keep container closed. Safety goggles with full-face shield and eyewash recommended. USDA-accepted Nitrile (CFR-20) or Neoprene Rubber (CFR-21) recommended. Wear appropriate clothing to prevent repeated or prolonged skin contact. Use only with adequate mechanical exhaust ventilation. To avoid fire minimize ignition sources.

Precautions to be Taken in Storage: Product should be stored in a dry place with temperatures above 30° F. Keep out of direct sunlight, away from high heat and moisture. Partially used containers should be resealed between uses for maximum storage stability.

Spill or Leak Procedures: Recover free liquid. For recovery or disposal, add inert absorbent (sand, earth, sawdust, etc.) to spill area and shovel into containers for disposal. Large spills may be flushed to sewer if local authorities approve such. Product is slippery under foot; flush smooth surfaces thoroughly. Dispose of material in accordance with all federal, state and local regulations in an approved waste disposal facility.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Note: When selecting personal protective equipment and clothing, follow all of the manufacturer specifications and recommendations that apply to your specific operation and processing conditions. Take into consideration all working conditions and all chemicals to be handled or processed.

Eye Protection: Wear indirectly vented, splash-proof chemical safety goggles under a clear face shield. Face shield is not to be used without these goggles. Contact lenses should not be worn when working with chemicals.

Skin Protection: Always wear impervious gloves such as nitrile or other proper chemical-resistant gloves for the job. Wear coveralls and boots to minimize skin contact. As precautions, wash hands and face with mild soap and water before eating, drinking, smoking or using restroom. After each shift, clean all protective equipment, wash work clothes, and

Inhalation Protection: Required under normal use conditions with good ventilation. Protect against spray mists & dust clouds.

Other Protection: Eye wash fountains and drench showers should be located within 100 feet or a 10 second walk from the work area per ANSI Z358.1-1990. Personal Protection in Case of Large Spill: splash goggles, full suit, boots and gloves.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical Appearance & Odor:	Dark
Boiling Point:	N/E
pH:	N/E
Solubility in Water:	Soluble

10. STABILITY AND REACTIVITY

Chemical Stability: Product is stable under normal, ambient (controlled) conditions concerning heat, moisture, pressure, ventilation, and exposure to incompatible or reactive materials.

Incompatibility: Oxidizing and reducing agents, heat, acids, lithium, bromine trifluoride.

Hazardous Decomposition Products: In fire: oxides of carbon, nitrogen, sulfur and sodium.

Hazardous Polymerization: Will Not Occur

Conditions to Avoid: Incompatibles. Protect from moisture.

11. TOXICOLOGICAL INFORMATION

Mutagenicity: Acid Red Dye: Positive Ames Test. Human relevance unknown.

12. ECOLOGICAL INFORMATION

No ecological data is available for this product.

MATERIAL SAFETY DATA SHEET

Precision Laboratories, Inc.



Updated

May 6, 2009

Product Name: JET BLACK™ EZ SOLUPAK

Page 3 of 3

13. DISPOSAL CONSIDERATIONS

Disposal Methods: Recycle or rework material if at all possible. Incinerate material at an approved facility. Treat at an acceptable waste treatment facility, or municipal waste treatment plant after proper testing and approval waste samples in compliance with applicable federal, state and local environmental regulations. Do not release into sewers, water systems, **Container Reuse:** An empty container can contain product residue, and should be not reused. If not professionally cleaned and reconditioned, crushing or other means is recommended to prevent unauthorized reuse.

14. TRANSPORT INFORMATION

DOT Status (Highway and rail): N/R
IATA Status (Air): N/R

15. REGULATORY INFORMATION

SARA HAZARD: Title III, Section 313: Contains no Section 313 listed substances subject to reporting.
AICS (Australia): N/D
DSL (Canada): N/D
EINECS (Europe): N/D
TSCA: Components listed

WHILE INFORMATION AND RECOMMENDATIONS SET FORTH HEREIN ARE BELIEVED TO BE ACCURATE AS OF THE DATE HEREON, PRECISION LABORATORIES, INC., MAKES NO WARRANTY WITH RESPECT THERETO AND DISCLAIMS ALL LIABILITY FROM RELIANCE THEREON.

N/D - Not Determined
N/A - Not Applicable
N/E - Not Established